

**CORN DISCOUNT SCHEDULE
CANTON TERMINAL & SUMNER COUNTY**

| Moisture | % Dock | \$ MHC | Moisture | % Dock | \$ MHC | Moisture | % Dock | \$ MHC |
|----------|--------|--------|----------|--------|--------|----------|--------|--------|
| 15.6 | 0.15 | 0.0300 | 17.6 | 3.15 | 0.1200 | 19.6 | 6.15 | 0.2200 |
| 15.7 | 0.30 | 0.0325 | 17.7 | 3.30 | 0.1250 | 19.7 | 6.30 | 0.2250 |
| 15.8 | 0.45 | 0.0350 | 17.8 | 3.45 | 0.1300 | 19.8 | 6.45 | 0.2300 |
| 15.9 | 0.60 | 0.0375 | 17.9 | 3.60 | 0.1350 | 19.9 | 6.60 | 0.2350 |
| 16.0 | 0.75 | 0.0400 | 18.0 | 3.75 | 0.1400 | 20.0 | 6.75 | 0.2400 |
| 16.1 | 0.90 | 0.0450 | 18.1 | 3.90 | 0.1450 | 20.1 | 6.90 | 0.2450 |
| 16.2 | 1.05 | 0.0500 | 18.2 | 4.05 | 0.1500 | 20.2 | 7.05 | 0.2500 |
| 16.3 | 1.20 | 0.0550 | 18.3 | 4.20 | 0.1550 | 20.3 | 7.20 | 0.2550 |
| 16.4 | 1.35 | 0.0600 | 18.4 | 4.35 | 0.1600 | 20.4 | 7.35 | 0.2600 |
| 16.5 | 1.50 | 0.0650 | 18.5 | 4.50 | 0.1650 | 20.5 | 7.50 | 0.2650 |
| 16.6 | 1.65 | 0.0700 | 18.6 | 4.65 | 0.1700 | 20.6 | 7.65 | 0.2700 |
| 16.7 | 1.80 | 0.0750 | 18.7 | 4.80 | 0.1750 | 20.7 | 7.80 | 0.2750 |
| 16.8 | 1.95 | 0.0800 | 18.8 | 4.95 | 0.1800 | 20.8 | 7.95 | 0.2800 |
| 16.9 | 2.10 | 0.0850 | 18.9 | 5.10 | 0.1850 | 20.9 | 8.10 | 0.2850 |
| 17.0 | 2.25 | 0.0900 | 19.0 | 5.25 | 0.1900 | 21.0 | 8.25 | 0.2900 |
| 17.1 | 2.40 | 0.0950 | 19.1 | 5.40 | 0.1950 | 21.1 | 8.40 | 0.2950 |
| 17.2 | 2.55 | 0.1000 | 19.2 | 5.55 | 0.2000 | 21.2 | 8.55 | 0.3000 |
| 17.3 | 2.70 | 0.1050 | 19.3 | 5.70 | 0.2050 | 21.3 | 8.70 | 0.3050 |
| 17.4 | 2.85 | 0.1100 | 19.4 | 5.85 | 0.2100 | 21.4 | 8.85 | 0.3100 |
| 17.5 | 3.00 | 0.1150 | 19.5 | 6.00 | 0.2150 | 21.5 | 9.00 | 0.3150 |

moisture limits will be determined by the location

Moisture: 1.5% of weight for each 1% of moisture beginning at 15.6%.

Moisture Handling Charge (MHC): 3 cents per bushel for the first tenth increasing at .0025 per tenth to 16 and then .005 per tenth

| Test Weight: | |
|----------------------------|--------|
| 53.9 - 53.0 | \$0.08 |
| 52.9 - 52.0 | \$0.16 |
| 51.9 - 51.0 | \$0.24 |
| 50.9 - 50.0 | \$0.32 |
| 49.9 - 49.0 | \$0.42 |
| 48.9 - 48.0 | \$0.52 |
| 47.9 - 47.0 | \$0.62 |
| 46.9 - 46.0 | \$0.72 |
| 45.9 - 45.0 | \$0.82 |
| plus \$.10 each # under 45 | |

| Broken Kernels/ Foreign Material: | |
|--|------|
| 3.1 - 4.0% | 1.0% |
| 4.1 - 5.0% | 2.0% |
| 5.1 - 6.0% | 3.0% |
| 6.1 - 7.0% | 4.0% |
| 7.1 - 8.0% | 5.0% |
| 8.1 - 9.0% | 6.0% |
| 9.1 - 10.0% | 7.0% |
| Continues at 1% for each 1% of BCFM above 10% | |

| Damage: | |
|--------------------------------------|--------|
| 5.1 - 6.0 | \$0.02 |
| 6.1 - 7.0 | \$0.04 |
| 7.1 - 8.0 | \$0.08 |
| 8.1 - 9.0 | \$0.12 |
| 9.1 - 10.0 | \$0.16 |
| 10.1 - 11.0 | \$0.22 |
| 11.1 - 12.0 | \$0.28 |
| 12.1 - 13.0 | \$0.34 |
| 13.1 - 14.0 | \$0.40 |
| 14.1 - 15.0 | \$0.46 |
| plus \$.06 for each 1% over 15.0% | |

| Heat Damage: | |
|---------------------------------------|--------|
| .3 - 1.0 | \$0.05 |
| 1.1 - 1.5 | \$0.10 |
| 1.6 - 2.0 | \$0.15 |
| 2.1 - 2.5 | \$0.20 |
| 2.6 - 3.0 | \$0.25 |
| 3.1 - 3.5 | \$0.30 |
| 3.6 - 4.0 | \$0.35 |
| 4.1 - 4.5 | \$0.40 |
| 4.6 - 5.0 | \$0.45 |
| 5.1 - 5.5 | \$0.50 |
| plus \$.05 for each 1/2% over 5.5% | |

| Aflatoxin: | |
|------------|--------|
| 21 - 50 | \$0.25 |
| 51 - 75 | \$0.45 |
| 76 - 100 | \$0.75 |
| 101 - 199 | \$1.00 |
| 200 + | \$2.00 |

| | |
|-------------------|--------|
| Cocklebur: | \$0.05 |
| Musty: | \$0.10 |
| Sour: | \$0.10 |
| Infested: | \$0.10 |
| Stones: | \$0.20 |
| COFO: | \$0.20 |

State grade fees apply to aflatoxin
Subject to elevator's ability to handle
Subject to rejection over 200 ppb

ALL DISCOUNTS SUBJECT TO CHANGE WITHOUT NOTICE

Effective September 1, 2017